

L Number	Hits	Search Text	DB	Time stamp
-	5709	(inhibit\$3 or prevent\$3 or delay\$3) near8 boot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 08:21
-	390	((inhibit\$3 or prevent\$3 or delay\$3) near8 boot\$3) same (configur\$3 or configuration or parameter\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:09
-	122	((inhibit\$3 or prevent\$3 or delay\$3) near8 boot\$3) near10 (configur\$3 or configuration or parameter\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:13
-	120	((((inhibit\$3 or prevent\$3 or delay\$3) near8 boot\$3) same (configur\$3 or configuration or parameter\$1)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:10
-	38	((((inhibit\$3 or prevent\$3 or delay\$3) near8 boot\$3) near10 (configur\$3 or configuration or parameter\$1)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:10
-	122	((inhibit\$3 or prevent\$3 or delay\$3) near8 boot\$3) near10 (configur\$3 or configuration or parameter\$1 or (initialization near2 data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:07
-	0	specify\$3 near5 before near5 boot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:07
-	29	check\$3 near5 before near5 boot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:10
-	98	check\$3 near5 before near5 (boot\$3 or initializ\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:11
-	13	adjust\$3 near5 before near5 boot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:10
-	468	(check\$3 set\$4) near5 before near5 (boot\$3 or initializ\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:14
-	2696701	((check\$3 set\$4) near5 before near5 (boot\$3 or initializ\$5)) (frequenc\$3 or voltage\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:12

-	11	((check\$3 set\$4) near5 before near5 (boot\$3 or initializ\$5)) near6 (frequenc\$3 or voltage\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:12
-	707	(check\$3 set\$4) near5 (frequenc\$3 or voltage\$1 or parameter\$1) near5 (boot\$3 or (start\$3 adj1 up) or startup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:02
-	140	((check\$3 set\$4) near5 (frequenc\$3 or voltage\$1 or parameter\$1) near5 (boot\$3 or (start\$3 adj1 up) or startup)) near8 (prior or before or during)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:16
-	18	((check\$3 set\$4) near5 (frequenc\$3 or voltage\$1 or parameter\$1) near5 (boot\$3 or (start\$3 adj1 up) or startup)) near8 (prior or before or during)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:59
-	8	(mark near2 connolly).xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 15:55
-	309	((phase\$1 adj1 lock\$3 adj1 loop\$1).clm.) and 331/???ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 16:24
-	611	(determin\$3 or select\$5) near5 (frequenc\$3 or voltage\$1 or parameter\$1) near5 (boot\$3 or (start\$3 adj1 up) or startup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:07
-	15	((determin\$3 or select\$5) near5 (frequenc\$3 or voltage\$1 or parameter\$1) near5 (boot\$3 or (start\$3 adj1 up) or startup)) near8 (prior or before)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:07
-	401	(determin\$3 or select\$5) near5 (frequenc\$3 or voltage\$1) near5 (boot\$3 or (start\$3 adj1 up) or startup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:29
-	82	((determin\$3 or select\$5) near5 (frequenc\$3 or voltage\$1) near5 (boot\$3 or (start\$3 adj1 up) or startup)) near8 (prior or before or during)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:08
-	25	((determin\$3 or select\$5) near5 (frequenc\$3 or voltage\$1) near5 (boot\$3 or (start\$3 adj1 up) or startup)) near8 (prior or before or during)) near8 operat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:11
-	0	((determin\$3 or select\$5) near5 (frequenc\$3 or voltage\$1) near5 (boot\$3 or (start\$3 adj1 up) or startup)) near8 (prior or before or during)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:12

-	17	((determin\$3 or select\$5) near5 (frequenc\$3 or voltage\$1) near5 (boot\$3 or (start\$3 adj1 up) or startup)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:21
-	1	6148397.URPN.	USPAT	2003/11/04 09:17
-	130	minimum near5 voltage near5 frequency near5 operat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:47
-	22	(minimum near5 voltage near5 frequency near5 operat\$3) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:22
-	10	5812860.URPN.	USPAT	2003/11/04 09:27
-	2423	(determin\$3 or select\$5 or control\$4) near5 (frequenc\$3 or voltage\$1 or speed) near5 (boot\$3 or (start\$3 adj1 up) or startup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:29
-	389	((determin\$3 or select\$5 or control\$4) near5 (frequenc\$3 or voltage\$1 or speed) near5 (boot\$3 or (start\$3 adj1 up) or startup)) near8 (processor microprocessor operation cpu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:30
-	31	((((determin\$3 or select\$5 or control\$4) near5 (frequenc\$3 or voltage\$1 or speed) near5 (boot\$3 or (start\$3 adj1 up) or startup)) near8 (processor microprocessor operation cpu)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:44
-	3467	(delay\$3 or inhibit\$3) near5(boot\$3 or (start\$3 adj1 up) or startup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:46
-	3467	(delay\$3 or inhibit\$3) near5 (boot\$3 or (start\$3 adj1 up) or startup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:46
-	264	((delay\$3 or inhibit\$3) near5 (boot\$3 or (start\$3 adj1 up) or startup)) near10 (voltage\$1 or frequenc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:47
-	12	((((delay\$3 or inhibit\$3) near5 (boot\$3 or (start\$3 adj1 up) or startup)) near10 (voltage\$1 or frequenc\$3)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:49
-	21076	(boot\$3 or (start\$3 adj1 up) or startup) near5 (control\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:50
-	3757	(boot\$3 or (start\$3 adj1 up) or startup) near5 (controller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:50

-	198	((boot\$3 or (start\$3 adj1 up) or startup) near5 (controller)) near8 (frequenc\$3 or voltage\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:51
-	9	((boot\$3 or (start\$3 adj1 up) or startup) near5 (controller)) near8 (frequenc\$3 or voltage\$1)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 10:12
-	2	6611918.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 11:12
-	55	(Andrew near2 volk).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 12:02
-	6	5951681.URPN.	USPAT	2003/11/04 12:00
-	1517	automatic\$5 near5 (set\$4 or chang\$3 or adjust\$3) near8 (voltage\$1 or frequenc\$3) near5 (processor cpu microprocessor work\$3 operat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 12:04
-	16	(automatic\$5 near5 (set\$4 or chang\$3 or adjust\$3) near8 (voltage\$1 or frequenc\$3) near5 (processor cpu microprocessor work\$3 operat\$3)) same (boot\$3 or (start\$3 adj1 up) or startup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 12:05
-	91	(automatic\$5 near5 (set\$4 or chang\$3 or adjust\$3) near8 (voltage\$1 or frequenc\$3) near5 (processor cpu microprocessor work\$3 operat\$3)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 12:23
-	6	5951681.URPN.	USPAT	2003/11/04 12:13
-	5	5862351.URPN.	USPAT	2003/11/04 12:15
-	38050	(chang\$3 or upgrad\$3 or downgrad\$3) near5 (processor microprocessor cpu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 12:23
-	741	((chang\$3 or upgrad\$3 or downgrad\$3) near5 (processor microprocessor cpu)) same ((operat\$3 or working) near5 (voltage\$1 or frequenc\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 12:24
-	98	((chang\$3 or upgrad\$3 or downgrad\$3) near5 (processor microprocessor cpu)) same (((operat\$3 or working) near5 (voltage\$1 or frequenc\$3)) near8 (detect\$3 or determin\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 12:25
-	27	((chang\$3 or upgrad\$3 or downgrad\$3) near5 (processor microprocessor cpu)) same (((operat\$3 or working) near5 (voltage\$1 or frequenc\$3)) near8 (detect\$3 or determin\$3))) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 12:28
-	4423	(sav\$3 or stor\$3) near8 (frequenc\$3 or voltag\$1) near5 (cpu processor microprocessor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 12:36

-	621	((sav\$3 or stor\$3) near8 (frequenc\$3 or voltag\$1) near5 (cpu processor microprocessor)) near8 (operat\$3 or work\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 12:36
-	175	((((sav\$3 or stor\$3) near8 (frequenc\$3 or voltag\$1) near5 (cpu processor microprocessor)) near8 (operat\$3 or work\$3)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 12:37
-	2893	(sav\$3 or stor\$3) near5 (frequenc\$3 or voltag\$1) near5 (cpu processor microprocessor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 12:36
-	351	((sav\$3 or stor\$3) near5 (frequenc\$3 or voltag\$1) near5 (cpu processor microprocessor)) near5 (operat\$3 or work\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 12:36
-	105	((((sav\$3 or stor\$3) near5 (frequenc\$3 or voltag\$1) near5 (cpu processor microprocessor)) near5 (operat\$3 or work\$3)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 12:37
-	5	5862351.URPN.	USPAT	2003/11/04 12:59
-	2559	fuse near5 block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 13:00
-	12	(fuse near5 block) near5 ((stor\$3 or sav\$3) near5 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 13:02
-	10	(fuse near5 block) near5 ((stor\$3 or sav\$3) near5 information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 13:08
-	91	(brian near3 peugh).xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 13:17
-	9211	read\$3 near5 (operat\$3 or working) near5 (voltage\$1 or frequenc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 13:18
-	11	(read\$3 near5 (operat\$3 or working) near5 (voltage\$1 or frequenc\$3)) near8 boot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 13:21
-	29	(inhibit\$3 or prevent\$3 or delay\$3) near8 apply\$3 near5 (voltage\$1 or frequenc\$3) near8 (cpu processor microprocessor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:02

-	397	((inhibit\$3 or prevent\$3 or delay\$3) near8 (boot\$3 or (start\$3 adj1 up)) near8 until	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:10
-	75	((inhibit\$3 or prevent\$3 or delay\$3) near8 (boot\$3 or (start\$3 adj1 up)) near8 until) near5 (work\$3 or operat\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:06
-	19	((inhibit\$3 or prevent\$3 or delay\$3) near8 (boot\$3 or (start\$3 adj1 up)) near8 until) near5 (work\$3 or operat\$6)) same (frequen\$3 or voltage\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:04
-	44	((inhibit\$3 or prevent\$3 or delay\$3) near8 (boot\$3 or (start\$3 adj1 up)) near8 until) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:06
-	488	(check\$3 or determin\$3) near8 (boot\$3 or (start\$3 adj1 up)) near8 (until or prior or before)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:10
-	109	((check\$3 or determin\$3) near8 (boot\$3 or (start\$3 adj1 up)) near8 (until or prior or before)) near10 (operat\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:12
-	48	((check\$3 or determin\$3) near8 (boot\$3 or (start\$3 adj1 up)) near8 (until or prior or before)) near10 (operat\$6)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:12
-	111	((check\$3 or determin\$3) near8 (boot\$3 or (start\$3 adj1 up)) near8 (until or prior or before)) near10 (operat\$6 or work\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:12
-	48	((check\$3 or determin\$3) near8 (boot\$3 or (start\$3 adj1 up)) near8 (until or prior or before)) near10 (operat\$6)) and g06f\$.ipc.) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:12
-	49	((check\$3 or determin\$3) near8 (boot\$3 or (start\$3 adj1 up)) near8 (until or prior or before)) near10 (operat\$6 or work\$3)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:17
-	2	proper near5 (fuse near2 block) near5 voltage\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:18
-	2	(proper appropriate\$3) near5 (fuse near2 block) near5 voltage\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:18

-	52799	(proper appropriate\$3) near5 voltage\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:19
-	893	((proper appropriate\$3) near5 voltage\$1) near8 (prevent\$3 inhibit\$3 stop\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:20
-	3	((proper appropriate\$3) near5 voltage\$1) near8 ((prevent\$3 inhibit\$3 stop\$4) near5 (processor cpu microprocessor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:29
-	12059	(prevent\$3 inhibit\$3 stop\$4) near5 (boot\$3 or (start\$3 adj1 up) or startup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 12:25
-	7752505	detect\$3 near5 storage near5 unit (power\$3 or available)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:31
-	297	(prevent\$3 inhibit\$3 stop\$4) near5 (boot\$3 or (start\$3 adj1 up) or startup) near5 (processor computer cpu microprocessor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:34
-	0	((prevent\$3 inhibit\$3 stop\$4) near5 (boot\$3 or (start\$3 adj1 up) or startup) near5 (processor computer cpu microprocessor)) and g06f\$.ipc	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:34
-	196	((prevent\$3 inhibit\$3 stop\$4) near5 (boot\$3 or (start\$3 adj1 up) or startup) near5 (processor computer cpu microprocessor)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:35
-	5	((prevent\$3 inhibit\$3 stop\$4) near5 (boot\$3 or (start\$3 adj1 up) or startup) near5 (processor computer cpu microprocessor)) same (read\$3 near5 operat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:36
-	3	((prevent\$3 inhibit\$3 stop\$4) near5 (boot\$3 or (start\$3 adj1 up) or startup) near5 (processor computer cpu microprocessor)) same (upgrad\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:37
-	6	5951681.URPN.	USPAT	2003/11/05 10:38
-	293182	read\$3 near5 (configuration or initialization or operat\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 10:59
-	28	(read\$3 near5 (configuration or initialization or operat\$6)) near10 (before or prior) near5 (boot\$3 or (start\$3 adj1 up) or startup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 11:23

-	0	(stabiliz\$5 near3 memory) same (boot\$3 or (start\$3 adj1 up) or startup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 11:40
-	9	stabiliz\$5 near3 memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 11:28
-	773	(appropriate or proper) near5 voltage near5 memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 11:31
-	4	prevent\$3 near5 (cpu processor microprocessor computer) near5 overclock\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 11:35
-	0	(boot\$3 or (start\$3 adj1 up) or startup) near10 ((only near3 when) near5 (stable or stabiliz\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 11:41
-	0	(boot\$3 or (start\$3 adj1 up) or startup or powerup or (power\$3 adj1 up)) near10 ((only near3 when) near5 (stable or stabiliz\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 11:41
-	0	(boot\$3 or (start\$3 adj1 up) or startup or powerup or (power\$3 adj1 up)) near10 ((only near3 when) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 11:42
-	0	(boot\$3 or (start\$3 adj1 up) or startup or powerup or (power\$3 adj1 up)) near10 ( when near5 sufficient\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 11:42
-	18	prevent\$3 near5 (cpu processor microprocessor computer) near5 (overclock\$3 or overvoltage\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 12:24
-	347	(prevent\$3 inhibit\$3 stop\$4) near5 (boot\$3 or (start\$3 adj1 up) or startup) near8 (processor cpu microprocessor computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 12:48
-	221	((prevent\$3 inhibit\$3 stop\$4) near5 (boot\$3 or (start\$3 adj1 up) or startup) near8 (processor cpu microprocessor computer)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 12:50
-	13	((prevent\$3 inhibit\$3 stop\$4) near5 (boot\$3 or (start\$3 adj1 up) or startup) near8 (processor cpu microprocessor computer)) same (frequenc\$3 or voltage\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:42



-	1721	integrat\$3 near5 logic near5 (cpu processor microprocessor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:30
-	617	integrat\$3 near3 logic near3 (cpu processor microprocessor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:30
-	286	(integrat\$3 near3 logic near3 (cpu processor microprocessor)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:31
-	0	6601167.URPN.	USPAT	2003/11/05 13:39
-	7	("5379431"   "5664194"   "5799186"   "5940627"   "5951685"   "5987605"   "6446139"   "2001/0052067").PN.	USPAT	2003/11/05 13:39
-	729	chang\$3 near5 (processor cpu microprocesor) near5 setting\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:44
-	3	(chang\$3 near5 (processor cpu microprocesor) near5 setting\$1) same boot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:46
-	47	6012130.URPN.	USPAT	2003/11/05 13:45
-	1033	swap\$4 near5 (cpu\$1 microprocessor\$1 processor\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:47
-	1033	swap\$4 near5 (cpu\$1 microprocessor\$1 processor\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:47
-	21	(swap\$4 near5 (cpu\$1 microprocessor\$1 processor\$1)) same boot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:47
-	25	(swap\$4 near5 (cpu\$1 microprocessor\$1 processor\$1)) same (boot\$3 (start\$3 adj1 up) or startup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 14:06
-	16879	(permit\$3 or allow\$3) near5 (frequency voltage\$1 setting\$1) near5 (operat\$6 or work\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 14:08
-	183	((permit\$3 or allow\$3) near5 (frequency voltage\$1 setting\$1) near5 (operat\$6 or work\$3)) same (boot\$3 (start\$3 adj1 up) or startup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 14:08
-	12	((((permit\$3 or allow\$3) near5 (frequency voltage\$1 setting\$1) near5 (operat\$6 or work\$3)) same (boot\$3 (start\$3 adj1 up) or startup)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 14:53

-	19	(eddie near2 chan).xp. and @pd >= "20020101"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:27
-	1239	sufficient\$3 near5 voltage\$1 near5 memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:46
-	22	((power adj2 good) or pwr gd or pwr good or (pwr adj1 (gd or good)) or "pwr_gd" or "pwr_good") near5 memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:52
-	0	swindle.xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:52
-	0	swindel.xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:52
-	21	swindell.xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:54
-	303	(ensur\$3 or insur\$3) near5 data near5 read\$3 near5 correct\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:57
-	106	((ensur\$3 or insur\$3) near5 data near5 read\$3 near5 correct\$3) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:57
-	2801	power\$3 near5 memor\$3 near5 first\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:57
-	52	(power\$3 near5 memor\$3 near5 (before or prior) near5 (cpu processor microprocessor or core)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:58
-	81	power\$3 near5 memor\$3 near5 (before or prior) near5 (cpu processor microprocessor or core)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 08:13
-	8	5630090.URPN.	USPAT	2003/11/06 08:09
-	1	6128747.URPN.	USPAT	2003/11/06 08:12
-	70	(activat\$3 or initializ\$5) near5 memory near5 (prior or before) near5 (cpu processor microprocessor core)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 08:23

-	28	activat\$3 near5 memory near5 (prior or before) near5 (cpu processor microprocessor core)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 09:27
-	2	wak\$3 near5 memory near5 (prior or before) near5 (cpu processor microprocessor core)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 08:20
-	5	632463.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 08:18
-	42	((activat\$3 or initializ\$5) near5 memory near5 (prior or before) near5 (cpu processor microprocessor core)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 08:24
-	42	((activat\$3 or initializ\$5) near5 memory near5 (prior or before) near5 (cpu processor microprocessor core)) not (activat\$3 near5 memory near5 (prior or before) near5 (cpu processor microprocessor core))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 08:24
-	10	(processor cpu microprocessor) near5 memory near5 "same" near5 voltage\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 09:30
-	18	(processor cpu microprocessor) near8 memory near8 "same" near8 voltage\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 09:32
-	8	((processor cpu microprocessor) near8 memory near8 "same" near8 voltage\$1) not ((processor cpu microprocessor) near5 memory near5 "same" near5 voltage\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 09:31
-	31	(processor cpu microprocessor) near10 memory near10 "same" near10 voltage\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 09:32
-	13	((processor cpu microprocessor) near10 memory near10 "same" near10 voltage\$1) not ((processor cpu microprocessor) near8 memory near8 "same" near8 voltage\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 09:32